


FIG. 2



C	~)
C	_	7
Ĺ	ı	

	FIELD	-	2	n	4	-
CAMERA SWITCH	OPERATION	OPERATION CAMERA SWITCH				CAMERA SWITCH
IMAGE PROCESS CIRCUIT 24a	OPERAT I ON	MAGE PROCESS OPERATION CAMERA IMAGE OR PATTERN IMAGE	STORE CAMERA IMAGE	STORE CAMERA I MAGE	OUTPUT PATTERN IMAGE	OUTPUT CAMERA IMAGE OR PATTERN IMAGE
	FIELD	က	4	-	2	က
CAMERA SWITCH CIRCUIT 22b	OPERATION			CAMERA SWITCH		
IMAGE PROCESS OPERATION	OPERAT I ON	STORE CAMERA IMAGE	OUTPUT PATTERN IMAGE	OUTPUT CAMERA IMAGE OR PATTERN IMAGE	STORE CAMERA IMAGE	STORE CAMERA IMAGE
FINAL	FINAL OUTPUT	CAMERA IMAGE OR PATTERN IMAGE	PATTERN I MAGE	CAMERA IMAGE OR PATTERN IMAGE	PATTERN IMAGE	CAMERA IMAGE OR PATTERN IMAGE

FIG. 4

<RECORDING MODE SETTING>

NORMAL RECORDING MODE : ON; P-1
PRE-ALARM RECORDING MODE : OFF
POST-ALARM RECORDING MODE : 30FPS

FIG. 5

<PROGRAM RECORDING SETTING> P-1

01:15.0 02:7.5 03:0FF 04:0FF 05:0FF 06:0FF 07:0FF 08:0FF 09:0FF 10:0FF 11:0FF 12:0FF 13:0FF 14:0FF 15:0FF 16:0FF

FIG. 6

CAMERA SWITCH	FIELD	1	2	3	4	1	2	3	4	1	2	3	4
22a, IMAGE PROCESSING	SELECTED CAMERA	1	1	1	1	1	1	1	1	1	1	1	1
24a	OUTPUT CANDIDATE	1/T			T	1/T			T	1/T			T
CAMERA SWITCH	FIELD	3	4	1	2	3	4	1	2	3	4	1	2
22b, IMAGE PROCESSING	SELECTED CAMERA	2	2	2	2	2	2	2	2	2	2	2	2
24b	OUTPUT CANDIDATE		T	2/T			T	2/T			T	2/T	
FINAL O	UTPUT	1	T	2	T	1	T	T	T	1	T	2	T
	RECORDING	1	0	1	0	1	0	0	0	1_	0	1	0
VDI	PRE-ALARM	0	*	0	*	0	*	*	*	0	*	0	*
VBI	POST-ALARM	0	*	0	*	0	*	*	*	0	*	0	*
	ID	1	*	2	*	1	*	*	*	1	*	2	*

1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1/T			T												
3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	T	2/T			T	2/T			T	2/T			T	2/T	
1	T	T	T	1	T	2	T	1	T	Ţ	T	1	T	2	T
1	0	0	0	1	0	1	0	1	0	0	0	1	0	1	0
0	*	*	*	0	*	0	*	0	*	*	*	0	*	0	*
0	*	*	*	0	*	0	*	0	*	*	*	0	*	0	*
1	*	*	*	1	*	2	*	1	*	*	*	1	*	2	*

T:TEST PATTERN IMAGE

FIG. 7

<RECORDING MODE SETTING>

NORMAL RECORDING MODE : ON; P-1
PRE-ALARM RECORDING MODE : ON; P-2
POST-ALARM RECORDING MODE : 30FPS

FIG. 8

<PROGRAM RECORDING SETTING> P-2

01:7.5 02:3.75 03:0FF 04:0FF 05:0FF 06:0FF 07:0FF 08:0FF 09:0FF 10:0FF 11:0FF 12:0FF 13:0FF 14:0FF 15:0FF 16:0FF

FIG. 9

<PROGRAM RECORDING SETTING>

P-3

01:0FF 02:0FF 03:7.5 04:2.5 05:0FF 06:0FF 07:0FF 08:0FF 09:0FF 10:0FF 11:0FF 12:0FF 13:0FF 14:0FF 15:0FF 16:0FF

FIG. 10

CAMERA SWITCH	FIELD	1	2	3	4	1	2	3	4	1	2	3	4
22a, IMAGE PROCESSING	SELECTED CAMERA	1	1	1	1	2	2	2	2	1	1	1	1
	OUTPUT CANDIDATE	2/T			T	1/T			T	2/T			T
CAMERA SWITCH	FIELD	3	4	1	2	3	4	1	2	3	4	1	2
22b, IMAGE PROCESSING	SELECTED CAMERA	4	4	3	3	3	3	4	4	4	4	3	3
24b	OUTPUT CANDIDATE		T	4/T			T	3/T			T	4/T	
FINAL C	UTPUT	2	T	4	T	1	T	3	T	T	T	T	T
	RECORDING	1	0	1	0	1	0	1	0	0	0	0	0
VBI	PRE-ALARM	0	*	1	*	0	*	1	*	*	*	*	*
VD1	POST-ALARM	0	*	0	*	0	*	0	*	*	*	*	*
	ID	2	*	4	*	1	*	3	*	*	*	*	*

1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4
2	2	2	2	1	1	1	1	2	2	2	2	1	1	1	1
1/T			Ţ	2/T			T	1/T			T	2/T			T
3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2
3	3	4	4	4	4	3	3	3	3	4	4	4	4	3	3
	T	3/T	-		T	4/T			T	3/T			T	4/T	
1	T	3	T	2	T	T	T	1	T	3	T	T	T	4	T
1	0	1	0	1	0	0	0	1	0	1	0	0	0	1	0
0	*	1	*	0	*	*	*	0	*	1	*	*	*	1	*
0	*	0	*	0	*	*	*	0	*	0	*	*	*	0	*
1	*	3	*	2	*	*	*	1	*	3	*	*	*	4	*

T:TEST PATTERN IMAGE

FIG. 11

CAMERA SWITCH	FIELD	1	2	3	4	1	2	3	4	1	2	3	4
22a, IMAGE PROCESSING	SELECTED CAMERA	5	5	5	5	5	5	5	5	5	5	5	5
	OUTPUT CANDIDATE	5/T			T	5/T			T	5/T			T
CAMERA SWITCH	FIELD	3	4	1	2	3	4	1	2	3	4	1	2
22b, IMAGE PROCESSING	SELECTED CAMERA	5	5	5	5	5	5	5	5	5	5	5	5
	OUTPUT CANDIDATE		T	5/T			T	5/T			T	5/T	
FINAL O	UTPUT	5	T	5	T	5	T	5	T	5	T	5	T
	RECORDING	1	0	1	0	1	0	1	0	1	0	1	0
VBI	PRE-ALARM	0	*	0	*	0	*	0	*	0	*	0	*
VDI	POST-ALARM	1	1	1	1	1	1	1	1	1	1	1	1
	ID	5	*	5	*	5	*	5	*	5	*	5	*

1	2	3	4	-1	2	3	4	1	2	3	4	1	2	3	4
5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
5/T			T												
3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2
5	5	8	8	8	8	8	8	8	8	8	8	8	8	8	8
	T	5/T			T	8/T			T	8/T			T	8/T	
5	T	5	T	5	T	8	T	5	T	8	T	5	T	8	T
1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0
0	*	0	*	0	*	0	*	0	*	0	*	0	*	0	*
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
5	*	5	*	5	*	8	*	5	*	8	*	5	*	8	*

T:TEST PATTERN IMAGE

FIG. 12




FIG. 13





FIG. 14





(A) FIELD DATA

MANAGEMENT
INFORMATION
(DATE, JPEG SIZE,
ALARM NUMBER,
CAMERA ID,
RECORDING FIELD
NUMBER,
WAITING TIME PERIOD,
etc)

JPEG DATA

(B) TAG DATA

MANAGEMENT INFORMATION ADDRESS (PREVIOUS FIELD) JPEG DATA ADDRESS (PREVIOUS FIELD) MANAGEMENT INFORMATION ADDRESS (CURRENT FIELD) JPEG DATA ADDRESS (CURRENT FIELD) MANAGEMENT INFORMATION ADDRESS (NEXT FIELD) JPEG DATA ADDRESS (NEXT FIELD) DATE JPEG SIZE ALARM NUMBER CAMERA ID RECORDING FIELD NUMBER WAITING TIME PERIOD INFORMATION





FIG. 17







FIG. 19






FIG. 21





FIG. 22







FIG. 24






FIG. 26









FIG. 27

















FIG. 34

